

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: DIMENSION X
Tint: CL (Clear)
Simulation Lab: SWWW
Initial Certification Date: 12/11/2014
Expiration Date: 11/12/2018

Type: Film
Film Location: Interior
Simulation Date: 11/12/2014
Re-Certification Date:
Print Date: 12/11/2014

CPD Number: ERI-M-005
Simulation Report Num: ERI14001E-RQ
Report Date: 11/12/2014

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.39	0.57	1.04
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.42	0.52	0.69
Window Wall	6 mm (1/4in.) clear	0.42	0.60	0.99
Window Wall	6 mm (1/4in.) grey	0.36	0.30	0.99
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.46	0.53	0.58
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.32	0.27	0.58

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'M.D.', is written over a horizontal line that serves as a signature line.