

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: REFLECTION 20
Tint: OT (Other)
Simulation Lab: SWWW
Initial Certification Date: 12/11/2014
Expiration Date: 11/12/2018

Type: Film
Film Location: Interior
Simulation Date: 11/12/2014
Re-Certification Date:
Print Date: 12/11/2014

CPD Number: ERI-M-014
Simulation Report Num: ERI140010-RQ
Report Date: 11/12/2014

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.15	0.09	0.97
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.22	0.09	0.66
Window Wall	6 mm (1/4in.) clear	0.18	0.10	0.91
Window Wall	6 mm (1/4in.) grey	0.24	0.05	0.91
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.27	0.09	0.56
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.22	0.04	0.56

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'M.D.', is written over a horizontal line that serves as a signature line.