

# NFRC Attachment Product Certification Authorization Report



**Issued By:** National Accreditation And Management Institute  
**For:** Erickson International LLC  
3135 Marco Street  
Las Vegas, NV 89115

**Product Series:** DAYDREAM 35  
**Tint:** OT (Other)  
**Simulation Lab:** SWWW  
**Initial Certification Date:** 12/11/2014  
**Expiration Date:** 11/12/2018

**Type:** Film  
**Film Location:** Interior  
**Simulation Date:** 11/12/2014  
**Re-Certification Date:**  
**Print Date:** 12/11/2014

**CPD Number:** ERI-M-001  
**Simulation Report Num:** ERI14001C-RQ  
**Report Date:** 11/12/2014

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.43	0.32	1.05
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.48	0.30	0.69
Window Wall	6 mm (1/4in.) clear	0.45	0.34	0.99
Window Wall	6 mm (1/4in.) grey	0.37	0.17	0.99
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.50	0.31	0.58
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.34	0.15	0.58

## Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'S.M.', is written over a horizontal line.