NFRC Attachment Product Certification Authorization Report

Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: MOONLIGHT05
Type: Film
CPD Number: ERI-M-008
Tint: OT (Other)
Film Location: Interior
Simulation Lab: SWWW
Simulation Date: 11/12/2014
Simulation Report Num: ERI14001H-RQ
Initial Certification Date: 12/11/2014
Re-Certification Date:
Report Date: 11/12/2014
Expiration Date: 11/12/2018
Print Date: 12/11/2014

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.31	0.05	1.02
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.41	0.04	0.68
Window Wall	6 mm (1/4in.) clear	0.33	0.05	0.97
Window Wall	6 mm (1/4in.) grey	0.31	0.03	0.97
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.44	0.05	0.58
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.31	0.02	0.58

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: