

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: MOONLIGHT 25

Type: Film

CPD Number: ERI-M-010

Tint: OT (Other)

Film Location: Interior

Simulation Lab: SWES

Simulation Date: 08/29/2018

Simulation Report Num: ERI19001-010-QQ

Initial Certification Date: 09/24/2019

Re-Certification Date:

Report Date: 08/29/2018

Expiration Date: 08/29/2023

Print Date: 09/24/2019

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.36	0.19	1.02
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.43	0.17	0.68
Window Wall	6 mm (1/4in.) clear	0.38	0.20	0.97
Window Wall	6 mm (1/4in.) grey	0.34	0.10	0.97
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.46	0.18	0.58
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.32	0.09	0.58

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: