

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: NATURE 30
Tint: OT (Other)
Simulation Lab: SWES
Initial Certification Date: 09/24/2019
Expiration Date: 08/29/2023

Type: Film
Film Location: Interior
Simulation Date: 08/29/2018
Re-Certification Date:
Print Date: 09/24/2019

CPD Number: ERI-M-012
Simulation Report Num: ERI19001-012-QQ
Report Date: 08/29/2018

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.38	0.27	1.08
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.45	0.25	0.70
Window Wall	6 mm (1/4in.) clear	0.41	0.29	1.02
Window Wall	6 mm (1/4in.) grey	0.36	0.14	1.02
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.48	0.26	0.59
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.33	0.13	0.59

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'M.D.', is written over a horizontal line that serves as a signature line.