

# NFRC Attachment Product Certification Authorization Report



**Issued By:** National Accreditation And Management Institute  
**For:** Erickson International LLC  
3135 Marco Street  
Las Vegas, NV 89115

---

<b>Product Series:</b> REFLECTION 50	<b>Type:</b> Film	<b>CPD Number:</b> ERI-M-016
<b>Tint:</b> OT (Other)	<b>Film Location:</b> Interior	
<b>Simulation Lab:</b> SWES	<b>Simulation Date:</b> 08/29/2018	<b>Simulation Report Num:</b> ERI19001-016-QQ
<b>Initial Certification Date:</b> 09/24/2019	<b>Re-Certification Date:</b>	<b>Report Date:</b> 08/29/2018
<b>Expiration Date:</b> 08/29/2023	<b>Print Date:</b> 09/24/2019	

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.38	0.37	1.00
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.42	0.34	0.67
Window Wall	6 mm (1/4in.) clear	0.40	0.39	0.95
Window Wall	6 mm (1/4in.) grey	0.35	0.20	0.95
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.45	0.35	0.57
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.32	0.18	0.57

---

## Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'Shi', is written over a solid black horizontal line.