

# NFRC Attachment Product Certification Authorization Report



**Issued By:** National Accreditation And Management Institute  
**For:** Erickson International LLC  
3135 Marco Street  
Las Vegas, NV 89115

**Product Series:** SKY 20

**Type:** Film

**CPD Number:** ERI-M-018

**Tint:** OT (Other)

**Film Location:** Interior

**Simulation Lab:** SWES

**Simulation Date:** 08/29/2018

**Simulation Report Num:** ERI19001-018-QQ

**Initial Certification Date:** 09/24/2019

**Re-Certification Date:**

**Report Date:** 08/29/2018

**Expiration Date:** 08/29/2023

**Print Date:** 09/24/2019

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.27	0.16	1.00
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.34	0.15	0.67
Window Wall	6 mm (1/4in.) clear	0.29	0.17	0.94
Window Wall	6 mm (1/4in.) grey	0.29	0.08	0.94
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.38	0.15	0.57
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.28	0.08	0.57

## Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

---