NFRC Attachment Product Certification Authorization Report

Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: SKY 40
Type: Film
CPD Number: ERI-M-020
Tint: OT (Other)
Film Location: Interior
Simulation Lab: SWES
Simulation Date: 08/29/2018
Simulation Report Num: ERI19001-020-QQ
Initial Certification Date: 09/24/2019
Re-Certification Date:
Report Date: 08/29/2018
Expiration Date: 08/29/2023
Print Date: 09/24/2019

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.45	0.39	1.05
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.49	0.36	0.69
Window Wall	6 mm (1/4in.) clear	0.48	0.41	0.99
Window Wall	6 mm (1/4in.) grey	0.39	0.21	0.99
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.51	0.37	0.59
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.35	0.18	0.59

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: