

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: Horizon 20 (int)	Type: Film	CPD Number: ERI-M-006
Tint: BZ (Bronze)	Film Location: Interior	
Simulation Lab: SWWW	Simulation Date: 02/08/2024	Simulation Report Num: ERI24001-RL
Initial Certification Date: 02/28/2024	Re-Certification Date:	Report Date: 02/08/2024
Expiration Date: 02/08/2029	Print Date: 02/28/2024	

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.21	0.17	0.97
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.28	0.16	0.66
Window Wall	6 mm (1/4in.) clear	0.24	0.18	0.91
Window Wall	6 mm (1/4in.) grey	0.26	0.09	0.91
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.33	0.17	0.57
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.25	0.08	0.57

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'Shi', is written over a horizontal line.