## **NFRC Attachment Product Certification Authorization Report**

**Issued By:** National Accreditation And Management Institute For: Erickson International LLC 3135 Marco Street Las Vegas, NV 89115

> Product Series: Horizon 35 (int) Type: Film Tint: BZ (Bronze) Film Location: Interior Simulation Lab: SWWW Simulation Date: 02/08/2024 Initial Certification Date: 02/28/2024 **Re-Certification Date:** Expiration Date: 02/08/2029 Print Date: 02/28/2024

| Default Operator Type | Default Glazing Reference               | SHGC w/Film | VT w/Film | U-Factor |
|-----------------------|---|-------------|-----------|----------|
| Fixed                 | 3 mm (1/8in.) clear                     | 0.32        | 0.33      | 0.98     |
| Fixed                 | 3 mm (1/8in.) clear 3 mm (1/8in.) clear | 0.37        | 0.30      | 0.67     |
| Window Wall           | 6 mm (1/4in.) clear                     | 0.35        | 0.35      | 0.93     |
| Window Wall           | 6 mm (1/4in.) grey                      | 0.32        | 0.17      | 0.93     |
| Window Wall           | 6 mm (1/4in.) clear 6 mm (1/4in.) clear | 0.41        | 0.31      | 0.57     |
| Window Wall           | 6 mm (1/4in.) grey 6 mm (1/4in.) clear  | 0.29        | 0.16      | 0.57     |

## **Comments:**

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

She



CPD Number: ERI-M-007

Simulation Report Num: ERI24001-RL Report Date: 02/08/2024