

# NFRC Attachment Product Certification Authorization Report



**Issued By:** National Accreditation And Management Institute  
**For:** Erickson International LLC  
3135 Marco Street  
Las Vegas, NV 89115

<b>Product Series:</b> Nature 40 (int)	<b>Type:</b> Film	<b>CPD Number:</b> ERI-M-013
<b>Tint:</b> SR (Silver)	<b>Film Location:</b> Interior	
<b>Simulation Lab:</b> SWWW	<b>Simulation Date:</b> 02/08/2024	<b>Simulation Report Num:</b> ERI24001-RL
<b>Initial Certification Date:</b> 02/28/2024	<b>Re-Certification Date:</b>	<b>Report Date:</b> 02/08/2024
<b>Expiration Date:</b> 02/08/2029	<b>Print Date:</b> 02/28/2024	

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.46	0.38	1.08
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.50	0.35	0.70
Window Wall	6 mm (1/4in.) clear	0.48	0.41	1.03
Window Wall	6 mm (1/4in.) grey	0.40	0.20	1.03
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.52	0.36	0.60
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.36	0.18	0.60

## Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: