

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: Illusion (int)
Tint: SR (Silver)
Simulation Lab: SWWW
Initial Certification Date: 07/25/2023
Expiration Date: 06/28/2028

Type: Film
Film Location: Interior
Simulation Date: 06/28/2023
Re-Certification Date:
Print Date: 07/25/2023

CPD Number: ERI-M-026
Simulation Report Num: ERI23001-RL
Report Date: 06/28/2023

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.14	0.03	0.98
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.22	0.03	0.67
Window Wall	6 mm (1/4in.) clear	0.17	0.03	0.93
Window Wall	6 mm (1/4in.) grey	0.24	0.01	0.94
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.27	0.03	0.57
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.38	0.01	0.57

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink, appearing to be 'Shi', is written over a solid black horizontal line.