

NFRC Attachment Product Certification Authorization Report



Issued By: National Accreditation And Management Institute
For: Erickson International LLC
3135 Marco Street
Las Vegas, NV 89115

Product Series: Legacy40 (int)
Tint: BZ (Bronze)
Simulation Lab: SWWW
Initial Certification Date: 07/25/2023
Expiration Date: 06/28/2028

Type: Film
Film Location: Interior
Simulation Date: 06/28/2023
Re-Certification Date:
Print Date: 07/25/2023

CPD Number: ERI-M-027
Simulation Report Num: ERI23001-RL
Report Date: 06/28/2023

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.36	0.33	1.04
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.42	0.30	0.69
Window Wall	6 mm (1/4in.) clear	0.38	0.35	0.98
Window Wall	6 mm (1/4in.) grey	0.34	0.18	0.99
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.46	0.32	0.59
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.46	0.16	0.59

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature:

A handwritten signature in black ink is written over a horizontal line. The signature appears to be 'Shi' or similar.