## **NFRC Attachment Product Certification Authorization Report**

**Issued By:** National Accreditation And Management Institute

For: Erickson International LLC

3135 Marco Street Las Vegas, NV 89115



**Report Date:** 06/28/2023

Product Series: Legacy70 (int)

Type: Film

CPD Number: ERI-M-029

Tint: BZ (Bronze) Film Location: Interior

Simulation Lab: SWWW Simulation Date: 06/28/2023 Simulation Report Num: ERI23001-RL

**Initial Certification Date:** 07/25/2023 **Re-Certification Date:** 

**Expiration Date:** 06/28/2028 **Print Date:** 07/25/2023

Default Operator Type	Default Glazing Reference	SHGC w/Film	VT w/Film	U-Factor
Fixed	3 mm (1/8in.) clear	0.54	0.54	1.09
Fixed	3 mm (1/8in.) clear 3 mm (1/8in.) clear	0.55	0.49	0.70
Window Wall	6 mm (1/4in.) clear	0.57	0.57	1.03
Window Wall	6 mm (1/4in.) grey	0.44	0.29	1.03
Window Wall	6 mm (1/4in.) clear 6 mm (1/4in.) clear	0.56	0.50	0.60
Window Wall	6 mm (1/4in.) grey 6 mm (1/4in.) clear	0.52	0.25	0.60

## **Comments:**

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my kno	wledge
---	--------

Authorized IA Signature:

